

ICD-10-CM Changes for 2017

REVISIONS TO ICD-CM

The ICD-CM code set in the United States is maintained by the ICD Coordination and Maintenance Committee. This committee includes representatives from the National Center for Health Statistics (NCHS) and the Centers for Medicare and Medicaid Services (CMS). This committee reviews all requests for changes or additions to the code set.

ACOG's Committee on Health Economics and Coding meets regularly with members of the ICD Committee to discuss requests (from ACOG, other groups, or from individuals) for changes in current ob/gyn-related codes or for the creation of new codes. ACOG's Committee also answers questions from the ICD Committee concerning appropriate terminology and definitions for ob/gyn diagnoses.

The Director of NCHS and the Administrator of CMS make the final coding data set decisions. Changes become effective October 1 of each year. A grace period for implementing new ICD codes is not provided. In preparation for ICD-10-CM implementation, a code freeze was implemented for new ICD10-CM codes applied for after 2012. As a result, no new ICD-10-CM codes were implemented for the 2016 ICD-10-CM release. However, now that ICD-10 has been implemented, code changes recommended and approved during the code freeze will go into effect as part of the first regular ICD-10CM update on October 1, 2016.

HIPAA requires insurers to accept new diagnosis codes beginning on October 1st.

The International Classification of Diseases, 10th Edition, Clinical Modification, (ICD-10-CM) code set for 2017 includes quite a few updates of interest to ob-gyns.

The ICD-10 Coordination and Maintenance Committee approved the following changes for 2017.

NEW, REVISED, AND DELETED CODES

A92 Other mosquito-borne viral fevers

Zika virus disease code has been added to the A92 code section to provide a specific code for tracking this disease.

New Code	A92.5 Zika virus disease
Includes terms	Zika virus fever
	Zika virus infection
	Zika NOS

N61 Inflammatory disorders of breast

New subsections N61.0 and N61.1 have been added to this code section to differentiate between conditions with and without abscess.

Diagnosis Coding in Obstetrics and Gynecology ©2016 The American Congress of Obstetricians and Gynecologists. All Rights Reserved.

New Codes **N61.0 Mastitis without abscess**
 N61.1 Abscess of the breast and nipple

N83 **Noninflammatory disorders of ovary, fallopian tube and broad ligament**

New subsections have been added to this code section to add laterality

Code section N83.0 Follicular cyst of ovary

New Codes **N83.00** **Follicular cyst of ovary, unspecified side**
 N83.01 **Follicular cyst of right ovary**
 N83.02 **Follicular cyst of left ovary**

Code section N83.1 Corpus luteum cyst

New Codes **N83.10** **Corpus luteum cyst of ovary, unspecified side**
 N83.11 **Corpus luteum cyst of right ovary**
 N83.12 **Corpus luteum cyst of left ovary**

Code section N83.2 Other and unspecified ovarian cysts

Code section N83.20 Unspecified ovarian cysts

New Codes **N83.201** **Unspecified ovarian cyst, right side**
 N83.202 **Unspecified ovarian cyst, left side**
 N83.209 **Unspecified ovarian cyst, unspecified side**

Code section N83.29 Other ovarian cysts

New Codes **N83.291** **Other ovarian cyst, right side**
 N83.292 **Other ovarian cyst, left side**
 N83.299 **Other ovarian cyst, unspecified side**

Code section N83.3 Acquired atrophy of ovary and fallopian tube

Code section N83.31 Acquired atrophy of ovary

New Codes **N83.311** **Acquired atrophy of right ovary**
 N83.312 **Acquired atrophy of left ovary**
 N83.319 **Acquired atrophy of ovary, unspecified side**

Code section N83.32 Acquired atrophy of fallopian tube

New Codes **N83.321** **Acquired atrophy of right fallopian tube**
 N83.322 **Acquired atrophy of left fallopian tube**
 N83.329 **Acquired atrophy of fallopian tube, unspecified side**

Code section N83.33 Acquired atrophy of ovary and fallopian tube

New Codes **N83.331** **Acquired atrophy of right ovary and fallopian tube**
 N83.332 **Acquired atrophy of left ovary and fallopian tube**
 N83.339 **Acquired atrophy of ovary and fallopian tube, unspecified side**

Code section N83.4 Prolapse and hernia of ovary and fallopian tube

New Codes **N83.40** **Prolapse and hernia of ovary and fallopian tube, unspecified side**
 N83.41 **Prolapse and hernia of right ovary and fallopian tube**
 N83.42 **Prolapse and hernia of left ovary and fallopian tube**

Code section N83.5 Torsion of ovary, ovarian pedicle and fallopian tube

Code section	N83.51	Torsion of ovary and ovarian pedicle
New Codes	N83.511	Torsion of right ovary and ovarian pedicle
	N83.512	Torsion of left ovary and ovarian pedicle
	N83.519	Torsion of ovary and ovarian pedicle, unspecified side
Code section	N83.52	Torsion of fallopian tube
New Codes	N83.521	Torsion of right fallopian tube
	N83.522	Torsion of left fallopian tube
	N83.529	Torsion of fallopian tube, unspecified side

N90 Other noninflammatory disorders of vulva and perineum

New subsections have been added to make this code section more specific and to include a code for Childhood asymmetric labium majus enlargement (CALME). Code section N90.6 Hypertrophy of vulva

New Codes	N90.60	Unspecified hypertrophy of vulva
	N90.61	Childhood asymmetric labium majus enlargement (CALME)
	N90.69	Other specified hypertrophy of vulva

N93 Other abnormal uterine and vaginal bleeding

The section has been expanded to add a new code for pre-pubertal vaginal bleeding **New Code N93.1 Pre-pubertal vaginal bleeding**

N94 Pain and other conditions associated with female genital organs and menstrual cycle Codes have been added to this section to describe other dyspareunia conditions not previously specified.

Code Section	N94.1	Dyspareunia
New Codes	N94.10	Unspecified dyspareunia
	N94.11	Superficial (introital) dyspareunia
	N94.12	Deep dyspareunia
	N94.19	Other specified dyspareunia

N99.8 Other intraoperative and postprocedural complications and disorders of genitourinary system

Codes have been revised and new codes have been added to code section N99. 8 to provide separate reporting for postprocedural hemorrhage and hematoma as follows:

Revised Codes:	N99.820	Postprocedural hemorrhage of a genitourinary system organ or structure following a genitourinary system procedure
	N99.821	Postprocedural hemorrhage of a genitourinary system organ or structure following other procedure
New Codes:	N99.840	Postprocedural hematoma of a genitourinary system organ or structure following a genitourinary system procedure

N99.841 Postprocedural hematoma of a genitourinary system organ or structure following other procedure

N99.842 Postprocedural seroma of a genitourinary system organ or structure following a genitourinary system procedure

N99.843 Postprocedural seroma of a genitourinary system organ or structure following other procedure

O00 Ectopic pregnancy

Ectopic pregnancy codes with uterine pregnancy were added back to the ICD-10-CM dataset.

Code Section O00.0 Abdominal pregnancy

New Codes **O00.00 Abdominal pregnancy without intrauterine pregnancy**
O00.01 Abdominal pregnancy with intrauterine pregnancy

Code section O00.1 Tubal pregnancy

New Codes **O00.10 Tubal pregnancy without intrauterine pregnancy**
O00.11 Tubal pregnancy with intrauterine pregnancy

Code section O00.2 Ovarian pregnancy

New Codes **O00.20 Ovarian pregnancy without intrauterine pregnancy**
O00.21 Ovarian pregnancy with intrauterine pregnancy

Code section O00.8 Other ectopic pregnancy

New Codes **O00.80 Other ectopic pregnancy without intrauterine pregnancy**
O00.81 Other ectopic pregnancy with intrauterine pregnancy

Code section O00.9 Ectopic pregnancy, unspecified

New Codes **O00.90 Unspecified ectopic pregnancy without intrauterine pregnancy**
O00.91 Unspecified ectopic pregnancy with intrauterine pregnancy

O09 Supervision of high risk pregnancy

Codes in section O09 have been revised to provide separate codes for history of ectopic and molar pregnancy as follows:

Revised codes: **O09.10 Supervision of pregnancy with history of ectopic pregnancy, unspecified trimester**

O09.11 Supervision of pregnancy with history of ectopic pregnancy, first trimester

O09.12 Supervision of pregnancy with history of ectopic pregnancy, second trimester

O09.13 Supervision of pregnancy with history of ectopic pregnancy, third trimester

New section **O09.A Supervision of pregnancy with history of molar pregnancy**

New Codes **O09.A0 Supervision of pregnancy with history of molar pregnancy, unspecified trimester**

- O09.A1 Supervision of pregnancy with history of molar pregnancy, first trimester**
- O09.A2 Supervision of pregnancy with history of molar pregnancy, second trimester**
- O09.A3 Supervision of pregnancy with history of molar pregnancy, third trimester**

O11 Pre-existing hypertension with pre-eclampsia

Code Section O11 has been expanded to add new codes for pre-existing hypertension complicating childbirth and the puerperium.

- New Codes**
- O11.4 Pre-existing hypertension with pre-eclampsia, complicating childbirth**
 - O11.5 Pre-existing hypertension with pre-eclampsia, complicating the puerperium**

O12 Gestational [pregnancy-induced] edema and proteinuria without hypertension

Code Section O12 has been expanded to add new codes for Gestational [pregnancy-induced] edema and proteinuria without hypertension complicating childbirth and the puerperium. Code section O12.0 Gestational edema

- New Codes**
- O12.04 Gestational edema, complicating childbirth**
 - O12.05 Gestational edema, complicating the puerperium**

Code section O12.1 Gestational proteinuria

- New Codes**
- O12.14 Gestational proteinuria, complicating childbirth**
 - O12.15 Gestational proteinuria, complicating the puerperium**

Code section O12.2 Gestational edema with proteinuria

- New Codes**
- O12.24 Gestational edema with proteinuria, complicating childbirth**
 - O12.25 Gestational edema with proteinuria, complicating the puerperium**

O13 Gestational [pregnancy-induced] hypertension without significant proteinuria

Code Section O13 has been expanded to add new codes for Gestational [pregnancy-induced] hypertension without significant proteinuria complicating childbirth and the puerperium.

- New Codes**
- O13.4 Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth**
 - O13.5 Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium**

O14 Pre-eclampsia

Code Section O14 has been expanded to add new codes for Pre-eclampsia complicating childbirth and the puerperium.

Code section O14.0 Mild to moderate pre-eclampsia

- New Codes**
- O14.04 Mild to moderate pre-eclampsia, complicating childbirth**

	O14.05	Mild to moderate pre-eclampsia, complicating the puerperium
Code section	O14.1	Severe pre-eclampsia
New Codes	O14.14	Severe pre-eclampsia complicating childbirth
	O14.15	Severe pre-eclampsia, complicating the puerperium
Code section	O14.2	HELLP syndrome
New Codes	O14.24	HELLP syndrome, complicating childbirth
	O14.25	HELLP syndrome, complicating the puerperium
Code section	O14.9	Unspecified pre-eclampsia
New Codes	O14.94	Unspecified pre-eclampsia, complicating childbirth
	O14.95	Unspecified pre-eclampsia, complicating the puerperium

O15 Eclampsia

Codes in section O15 have been revised to standardize the language with the other hypertension code sections.

Revised codes:	O15.00	Eclampsia complicating pregnancy, unspecified trimester
	O15.02	Eclampsia complicating pregnancy, second trimester
	O15.03	Eclampsia complicating pregnancy, third trimester
	O15.1	Eclampsia complicating childbirth
	O15.2	Eclampsia complicating pregnancy, second trimester

O16 Unspecified maternal hypertension

Code Section O16 has been expanded to add new codes for Unspecified maternal hypertension complicating childbirth and the puerperium.

New Codes	O16.4	Unspecified maternal hypertension, complicating childbirth
	O16.5	Unspecified maternal hypertension, complicating the puerperium

O24.4 Gestational diabetes mellitus

Code Section O24.4 has been expanded to add new codes for Gestational diabetes mellitus controlled by oral hypoglycemic drugs in pregnancy, childbirth and the puerperium.

Code section	O24.41	Gestational diabetes mellitus in pregnancy
New Code	O24.415	Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs
Code section	O24.42	Gestational diabetes mellitus in childbirth
New Code	O24.425	Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs
Code section	O24.43	Gestational diabetes mellitus in the puerperium
New Code	O24.435	Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs

O33 Maternal care for disproportion

Code Section O33 has been expanded to add distinct codes for each fetus.

Code section O33.7 Maternal care for disproportion due to other fetal deformities

New Codes	O33.7XX0	Maternal care for disproportion due to other fetal deformities, unspecified
	O33.7XX1	Maternal care for disproportion due to other fetal deformities, fetus 1
	O33.7XX2	Maternal care for disproportion due to other fetal deformities, fetus 2
	O33.7XX3	Maternal care for disproportion due to other fetal deformities, fetus 3
	O33.7XX4	Maternal care for disproportion due to other fetal deformities, fetus 4
	O33.7XX5	Maternal care for disproportion due to other fetal deformities, fetus 5
	O33.7XX9	Maternal care for disproportion due to other fetal deformities, other fetus

O34 Maternal care for abnormality of pelvic organs

Code section O34 has been expanded to add scar type from previous cesarean deliveries.

Code section O34.21 Maternal care for scar from previous cesarean delivery

New Codes	O34.211	Maternal care for low transverse scar from previous cesarean delivery
	O34.212	Maternal care for vertical scar from previous cesarean delivery
		Inclusion term: Maternal care for classical scar from previous cesarean
	O34.219	Maternal care for unspecified type scar from previous cesarean delivery

O44 Placenta previa

Code Section O44 has been expanded to add distinct codes and differentiate between partial placenta previa and low lying placenta with and without hemorrhage.

New Section O44.2 Partial placenta previa NOS or without hemorrhage

New codes	O44.20	Partial placenta previa NOS or without hemorrhage, unspecified trimester
	O44.21	Partial placenta previa NOS or without hemorrhage, first trimester
	O44.22	Partial placenta previa NOS or without hemorrhage, second trimester

O44.23 Partial placenta previa NOS or without hemorrhage, third trimester

New Section O44.3 Partial placenta previa with hemorrhage

New Codes

O44.30 Partial placenta previa with hemorrhage, unspecified trimester

O44.31 Partial placenta previa with hemorrhage, first trimester

O44.32 Partial placenta previa with hemorrhage, second trimester

O44.33 Partial placenta previa with hemorrhage, third trimester

New Section O44.4 Low lying placenta NOS or without hemorrhage

New Codes

O44.40 Low lying placenta NOS or without hemorrhage, unspecified trimester

O44.41 Low lying placenta NOS or without hemorrhage, first trimester

O44.42 Low lying placenta NOS or without hemorrhage, second trimester

O44.43 Low lying placenta NOS or without hemorrhage, third trimester

New Section O44.5 Low lying placenta with hemorrhage

New Codes

O44.50 Low lying placenta with hemorrhage, unspecified trimester

O44.51 Low lying placenta with hemorrhage, first trimester

O44.52 Low lying placenta with hemorrhage, second trimester

O44.53 Low lying placenta with hemorrhage, third trimester

O70 Perineal laceration during delivery

Code section O70 has been expanded to further categorize reporting of third degree perineal lacerations during delivery.

Code section O70.2 Third degree perineal laceration during delivery

New Codes

O70.20 Third degree perineal laceration during delivery, unspecified

O70.21 Third degree perineal laceration during delivery, IIIa

O70.22 Third degree perineal laceration during delivery, IIIb

O70.23 Third degree perineal laceration during delivery, IIIc

Note: Per the reVitalize Task Force and the Royal College of Obstetricians and Gynaecologists, 3rd degree laceration categories, IIIa-IIIc are described as:

Diagnosis Coding in Obstetrics and Gynecology ©2016 The American Congress of Obstetricians and Gynecologists. All Rights Reserved.

- 3° - Injury to perineum involving anal sphincter complex
- 3a: Less than 50% of External Anal Sphincter (EAS) thickness torn, (III a)
 - 3b: More than 50% External Anal Sphincter (EAS) thickness torn, (III b)
 - 3c: Both External Anal Sphincter (EAS) & Internal Anal Sphincter (IAS) torn, (III c)

Q52.12 Longitudinal vaginal septum

Code section for longitudinal vaginal septum was expanded to more accurately describe this condition.

New codes:	Q52.120	Longitudinal vaginal septum, nonobstructing
	Q52.121	Longitudinal vaginal septum, obstructing, right side
	Q52.122	Longitudinal vaginal septum, obstructing, left side
	Q52.123	Longitudinal vaginal septum, microperforate, right side
	Q52.124	Longitudinal vaginal septum, microperforate, left side
	Q52.129	Other and unspecified longitudinal vaginal septum

Z29 Encounter for other prophylactic measures

A new code section for prophylactic services has been added to ICD-10-CM. This section includes a code for RH immune globulin administration.

- Z29.11 Encounter for prophylactic immunotherapy for respiratory syncytial virus (RSV)**
- Z29.12 Encounter for prophylactic antivenin**
- Z29.13 Encounter for prophylactic Rho(D) immune globulin**
- Z29.14 Encounter for prophylactic rabies immune globin**
- Z29.3 Encounter for prophylactic fluoride administration**
- Z29.8 Encounter for other specified prophylactic measures**
- Z29.9 Encounter for prophylactic measures, unspecified**

Z30 Encounter for contraceptive management

Code Z30 was expanded to add codes for the initial prescription and surveillance of vaginal ring and transdermal patch hormonal contraceptives in addition to implantable subdermal contraceptives.

Code section	Z30.01	Encounter for initial prescription of contraceptives
New Codes	Z30.015	Encounter for initial prescription of vaginal ring hormonal contraceptive
	Z30.016	Encounter for initial prescription of transdermal patch hormonal contraceptive device
	Z30.017	Encounter for initial prescription of implantable subdermal contraceptive

New Codes

- Z30.44 Encounter for surveillance of vaginal ring hormonal contraceptive device**
- Z30.45 Encounter for surveillance of transdermal patch hormonal contraceptive device**
- Z30.46 Encounter for surveillance of implantable subdermal contraceptive**

Procreative management – Gestational Carrier

New codes were added to enable reporting and tracking of gestational carriers.

Z31 Encounter for procreative management

New code **Z31.7 Encounter for procreative management and counseling for gestational carrier**
Excludes1: pregnant state, gestational carrier (Z33.3)

Z33 Pregnant state

New code **Z33.3 Pregnant state, gestational carrier**
Excludes1: encounter for procreative management and counseling for gestational carrier (Z31.7)

Laparoscopic procedures converted to open

Codes previously available in ICD-9 for reporting endoscopic procedures converted to open have been added back to ICD-10.

Z53 Persons encountering health services for specific procedures and treatment, not carried out

New Codes

- Z53.31 Laparoscopic surgical procedure converted to open procedure**
- Z53.32 Thoracoscopic surgical procedure converted to open procedure**
- Z53.33 Arthroscopic surgical procedure converted to open procedure**
- Z53.39 Other specified procedure converted to open procedure**

Scar from a previous myomectomy

Z98 Other specified postprocedural states

New code **Z98.891 History of uterine scar from previous surgery**
Excludes1: Maternal care due to uterine scar from previous surgery (O34.2-)

Other New Codes of Interest

Many new diabetes manifestation codes are pending release on 10-1-2016. These codes are being added to sections E08-E13.

Hypercholesterolemia

The hypercholesterolemia code section has been expanded to add an unspecified code and to provide a distinct code for familial hypercholesterolemia.

E78 Disorders of lipoprotein metabolism and other lipidemias
New Codes E78.00 Pure hypercholesterolemia, unspecified
Inclusion terms: Fredrickson's hyperlipoproteinemia, type IIa
Hyperbetalipoproteinemia
Low-density-lipoprotein-type [LDL] hyperlipoproteinemia **E78.01 Familial hypercholesterolemia**

Pre-menstrual dysphoric disorder

F32 Major depressive disorder, single episode
New Code F32.81 Premenstrual dysphoric disorder
Excludes1: premenstrual tension syndrome (N94.3)

R31 Hematuria
New Codes R31.21 Asymptomatic microscopic hematuria
R31.29 Other microscopic hematuria
Inclusion term: AMH

R39 Other and unspecified symptoms and signs involving the genitourinary system
R39.19 Other difficulties with micturition New Codes
R39.191 Need to immediately re-void
R39.192 Position dependent micturition
R39.198 Other difficulties with micturition
R39.8 Other symptoms and signs involving the genitourinary system
New Code R39.82 Chronic bladder pain

R73 Elevated blood glucose level
R73.0 Abnormal glucose New Code R73.03
Prediabetes
Inclusion term: Latent diabetes

R82 Other and unspecified abnormal findings in urine
R82.7 Abnormal findings on microbiological examination of urine
New Code R82.71 Bacteriuria
New Code R82.79 Other abnormal findings on microbiological examination of urine
Inclusion term: Positive culture findings of urine

T83 Complications of genitourinary prosthetic devices, implants and grafts

The T83 code section was expanded to include many new codes for complications of genitourinary devices, implants and grafts.

Z19 Hormone sensitivity malignancy status

New code section, Z19 has been added to the October 1, 2016 ICD-10-CM release to identify hormone sensitivity malignancy status.

Code first malignant neoplasm - see Table of Neoplasms, by site, malignant

Z19.1 Hormone sensitive malignancy status

Z19.2 Hormone resistant malignancy status

Inclusion term: Castrate resistant prostate malignancy status

Z79 Long term (current) drug therapy

Z79.8 Other long term (current) drug therapy

New Code **Z79.84 Long term (current) use of oral hypoglycemic drugs**

Inclusion term: Long term (current) use of oral antidiabetic drugs

Excludes2: long term (current) use of insulin (Z79.4)

Z83 Family history of other specific disorders

New Code **Z83.42 Family history of familial hypercholesterolemia**